

**MINUTES OF 28<sup>TH</sup> MEETING OF STATE EXPERT APPRAISAL COMMITTEE, UNION TERRITORY, CHANDIGARH HELD ON 02.12.2015 AT 12:00 NOON IN THE CONFERENCE HALL AT 2<sup>ND</sup> FLOOR OF PARYAVARAN BHAWAN, SECTOR 19-B, CHANDIGARH UNDER THE CHAIRMANSHIP OF SH. RAJNEESH WATTAS, MEMBER, STATE EXPERT APPRAISAL COMMITTEE , UT, CHANDIGARH**

A meeting of State Expert Appraisal Committee, Union Territory, Chandigarh was held on 02.12.2015 AT 12:00 Noon in the Conference Hall, at 2<sup>nd</sup> Floor of Paryavaran Bhawan, Sector 19-B, Chandigarh under the chairmanship of Sh. Rajneesh Wattas, Chairman, to discuss the case of grant of environment clearance of residential complex of Chandigarh Armed Police at Village Dhanas, U.T., Chandigarh.. Following members were present in the meeting:-

- |    |   |           |
|----|---|-----------|
| 1. | Sh. M.S. Johal,<br>Department of Zoology,<br>Panjab University Chandigarh.                    | Member    |
| 2. | Sh. Vivek Pandey,<br>Scientist 'B'.<br>Chandigarh Pollution Control Committee,<br>Chandigarh. | Member    |
| 3. | Sh.P.J.S. Dadhwal,<br>Additional Director,<br>Environment Department<br>U.T., Chandigarh.     | Secretary |

At the outset, the members of the committee unanimously elected Dr. Rajnish Wattas as a chairman of committee for this meeting as Sh. Khajan Singh, chairman; SEAC has proceeded on foreign visit.


Sh. Satish Kumar, DSP alongwith the team of officers and Consultant was also present before the committee on behalf of Police Department, Chandigarh for making presentation of the project. After detail deliberations, the SEAC unanimously recommended to seek the following information/clarifications from the project proponent:-


1. 4000 KVA have been proposed for power back which seems to be in excess. Project proponent was advised to look into the possibility of reducing the capacity of DG sets to 2000 KVA.
2. As stated in the Form I/IA, Dispensary of 30 beds has been proposed. It should be termed as Hospital because there is no bed in the dispensary which needs to be changed.

3. 343 KLD of treated waste water is proposed to be used for horticulture purpose. The method of disposal of this in rainy season has not been mentioned.
4. Consent of Municipal Corporation for linking with Trunk sewer may be provided.
5. Please intimate the final quality of treated water at outlet of STP as per the new guidelines of the government. Also intimate the quality of water for dual plumbing.
6. 52 Nos. of rainwater harvesting pits does not seem to be feasible in the project, practically which is required to be reviewed, reassessed and submitted.
7. Whether any storm water drainage has been planned for which Municipal Corporation, Chandigarh has given consent to discharge into their Storm water drainage system. If so, furnish the copy of the same.
8. No time line for completion of STP is intimated. Please intimate the same.
9. As informed during presentation, two bin system is proposed in house hold waste management. The organic waste is proposed to be disposed off by way of bio-composting. The details regarding, quantity, site and technology to be adopted may be intimated.
10. Copy of statutory permission from the competent authority for cutting of trees be submitted. Also submit compensatory plantation plan, in lieu of trees, proposed to be felled.
11. As per the Area details furnished in Page No. 22 of the presentation wherein 14.33% have been shown as covered area of buildings at ground floor which seems to be different in the drawings/plan submitted during presentation. The covered area seems to be much more than the figures mentioned. Please review, reassess the same and then submit.

During presentation, the project proponent consented to provide the information within 2-3 days. The matter be placed before the committee after furnishing the information by the project proponent.

The meeting ended with the vote of thanks to the chair.

  
Vivek Pandey,  
Member

  
Sh. P.J.S. Dadhwal,  
Secretary

  
Dr. M.S. Johal  
Member

  
Sh. Rajnish Wattas  
Chairman